

From: Nonresponsive based on revised scope [mailto:Nonresponsive@WestonSolutions.com]
Sent: 6/28/2019 2:41:27 PM
To: Baker, Lorie [mailto:Baker.Lorie@epa.gov]
CC: O'Loughlin, Connor [mailto:oloughlin.connor@epa.gov]
Subject: RE: Blades Ground Water Plume - 1st Streamlined QA Review

I read through the comments.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Nonresponsive based on revised scope

From: Baker, Lorie [mailto:Baker.Lorie@epa.gov]
Sent: Thursday, June 27, 2019 2:17 PM
To: Nonresponsive based on revised scope [mailto:Nonresponsive@WestonSolutions.com]
Cc: O'Loughlin, Connor <oloughlin.connor@epa.gov>
Subject: FW: Blades Ground Water Plume - 1st Streamlined QA Review

**** External Email ****

Ex. 5 Deliberative Process (DP)

Lorie

From: [Nonresponsive based on revised scope]@gdit.com>

Sent: Thursday, June 27, 2019 11:00 AM

To: Jeng, Terry <jeng.Terry@epa.gov>

Cc: Baker, Lorie <Baker.Lorie@epa.gov>; Wendel, Jennifer <Wendel.Jennifer@epa.gov>; [Nonresponsive based on revised scope]

[Nonresponsive based on revised scope]@gdit.com>; [Nonresponsive based on revised scope]@gdit.com>; [Nonresponsive based on revised scope]

[Nonresponsive based on revised scope]@skeo.com>

Subject: Blades Ground Water Plume - 1st Streamlined QA Review

GENERAL DYNAMICS
Information Technology

June 27, 2019

Terry Jeng
U.S. Environmental Protection Agency
Site Assessment and Remedy Decisions Branch
2777 Crystal Drive
Arlington, Virginia 22202

Subject: First Streamlined Quality Assurance (QA) Review for the Blades Groundwater site HRS package under contract EP-W-10-016, Work Assignment 4-01, Task 1

Dear Ms. Jeng:

CSRA LLC, a General Dynamics Information Technology company (hereinafter referred to as GDIT), is pleased to submit the 1st streamlined QA review for the Blades Groundwater site (EPA ID No. DEN000304203) HRS package. An electronic copy of this QA review, including the 1st streamlined QA review letter, analytical data documentation issues attachment and annotated HRS documentation record, has been sent to Ms. Lorie Baker, EPA Region 3 NPL Coordinator.

If you have any questions or comments regarding this 1st streamlined QA review, please do not hesitate to contact me at

Nonresponsive based on revised scope

Sincerely,

[Nonresponsive based on revised scope]

GDIT Region 3 Coordinator

[Nonresponsive based on revised scope]

GDIT Work Assignment Manager

Enclosures

Pre-Decisional/Deliberative/Confidential

Do Not Cite or Quote

3211 Jermantown Road • Fairfax, VA 22030 • info@gdit.com • 888.545.8477 • www.gdit.com

ED_005863_00000274-00002

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.